

Reserve at Country Club Lakes Estates

LYING IN SECTION 28, TOWNSHIP 28 SOUTH, RANGE 37 EAST AND IN THE CITY OF PALM BAY, BREVARD COUNTY FLORIDA

LEGAL DESCRIPTION:

Part of lands described in O.R.B. 5330, Page 1263, together with lands described in O.R.B. 6300, Page 1668 of the Public Records of Brevard County, Florida, lying in Section 28, Township 28 South, Range 37 East, said Brevard County and being more particularly described as follows:

Beginning at the Northeast corner of Bimini Bay, according to the plat thereof, as recorded in Plat Book 50, Page's 46 through 47 of the said public records; thence run North 88°47'13" West, along the North line of said Bimini Bay, a distance of 228.32 feet to the East line of a 30 foot wide drainage right-of-way per Port Malabar Country Club Unit Seven, according to the plat thereof, as recorded in Plat Book 25, Page's 121 through 126 of the said public records; thence North 01°12'47" East, along said East line, a distance of 30.00 feet; thence North 88°47'13" West along the North line of said 30 foot wide drainage right-of-way, a distance of 125.00 feet to the East right-of-way line of Riviera Boulevard per said Port Malabar Country Club Unit Seven, said point being the point of curvature of a non-tangent circular curve, concave to the West, having a radius of 3,050.00 feet and a central angle of 01°58'25"; thence from a tangent bearing of North 01°12'47" East, run Northerly along said right-of-way line and the arc of said curve, an arc distance of 105.06 feet to the North line of said O.R.B. 6300, Page 1668; thence North 89°14'22" East, along said North line, a distance of 125.00 feet to the West line of said O.R.B. 5330, Page 126, said point being the point of curvature of a non-tangent circular curve, concave to the West, having a radius of 3,175.00 feet and a central angle of 03°56'47"; thence from a tangent bearing of North 00°45'38" West, run Northerly along the arc of said curve and said West line, an arc distance of 218.69 feet to a 4"x4" concrete monument "P.R.M." at the Southeast corner of Lot 12, Block 75, said Port Malabar Country Club Unit Seven; thence continue along the East line of said Port Malabar Country Club Unit Seven and the arc of said curve having a radius of 3175.00 feet and a central angle of 09°56'42", an arc distance of 551.09 feet to the point of reverse curvature with a circular curve concave to the East, having a radius of 825.00 feet and a central angle of 43°25'51"; thence Northerly along the said East line of Port Malabar Country Club Unit Seven and the arc of said curve, an arc distance of 625.36 feet to the South line of Port Malabar Country Club Unit Three, according to the plat thereof, as recorded in Plat Book 23, Page's 88 through 89 of the said public records; thence South 50°37'24" East, along the said South line, a distance of 49.00 feet to the point of curvature of a circular curve concave to the North, having a radius of 225.00 feet and a central angle of 39°22'36"; thence Easterly along the arc of said curve and said South line, an arc distance of 154.63 feet; thence East, along said South line, a distance of 74.04 feet to the point of curvature of a circular curve concave to the North, having a radius of 225.00 feet and a central angle of 28°38'52"; thence Easterly along the arc of said curve and said South line, an arc distance of 112.50 feet; thence North 61°00'47" East, along said South line a distance of 148.00 feet; thence South 20°01'40" East, along the Westerly line of said Port Malabar Country Club Unit Three, a distance of 84.96 feet; thence South 87°56'45" East, along the said South line of Port Malabar Country Club Unit Three, a distance of 100.00 feet, to a 4"x4" concrete monument marked "PRM LS 2257" and the point of curvature of a non-tangent circular curve, concave to the West, having a radius of 1,650.00 feet and a central angle of 16°44'45"; thence from a tangent bearing of South 02°03'15" West, run Southerly along the arc of said curve and the said Westerly line of Port Malabar Country Club Unit Three, an arc distance of 482.25 feet; thence South 42°53'42" West, along said Westerly line, a distance of 61.24 feet to the point of curvature of a non-tangent circular curve, concave to the North, having a radius of 175.00 feet and a central angle of 180°00'00"; thence from a tangent bearing of South 18°48'00" West, run Easterly along the Southerly line of said Port Malabar Country Club Unit Three and arc of said curve, an arc distance of 549.78 feet; thence North 05°17'42" West, along the Easterly line of said Port Malabar Country Club Unit Three, a distance of 61.24 feet to the point of curvature of a non-tangent circular curve, concave to the West, having a radius of 1,950.00 feet and a central angle of 16°40'47"; thence from a tangent bearing of North 18°48'00" East, run Northerly along the arc of said curve and said Easterly line Port Malabar Country Club Unit Three, an arc distance of 567.68 feet; thence East, along the said South line of Port Malabar Country Club Unit Three, a distance of 59.05 feet; thence North 27°30'00" East, along the Easterly line of said Port Malabar Country Club Unit Three a distance of 105.93 feet to the South line of Port Malabar Country Club Unit Two, according to the plat thereof, as recorded in Plat Book 21, Page's 134 through 136 of the said Public records; thence South 62°32'07" East, along said South line, a distance of 208.42 feet; thence North 89°57'53" East, along said South line, a distance of 236.10 feet to the point of curvature of a circular curve concave to the North, having a radius of 225.00 feet and a central angle of 25°18'12"; thence Easterly along the arc of said curve and said South line, an arc distance of 99.37 feet; thence North 64°39'41" East, along said South line, a distance of 31.50 feet to the point of curvature of a non-tangent circular curve, concave to the West, having a radius of 825.00 feet and a central angle of 43°54'02"; thence from a tangent bearing of South 25°20'19" East, run Southerly along the arc of said curve and the Westerly line of said Port Malabar Country Club Unit Two, an arc distance of 632.12 feet to the point of reverse curvature with a circular curve concave to the East, having a radius of 3,175.00 feet and a central angle of 08°08'27"; thence Southerly along the arc of said curve and said Westerly line, an arc distance of 451.12 feet; thence South 89°57'53" West along said Westerly line, a distance of 4.35 feet to the point of curvature of a circular curve concave to the Southeast, having a radius of 300.00 feet and a central angle of 45°00'00"; thence Southwesterly along the arc of said curve and said Westerly line, an arc distance of 235.62 feet; thence South 44°57'53" West, along said Westerly line, a distance of 353.55 feet to the point of curvature of a circular curve concave to the East, having a radius of 300.00 feet and a central angle of 90°00'00"; thence Southerly along the arc of said curve and said Westerly line, an arc distance of 471.24 feet; thence South 45°02'07" East, along said Westerly line, a distance of 353.55 feet to the point of curvature of a circular curve concave to the Northeast, having a radius of 300.00 feet and a central angle of 44°04'03"; thence Southeasterly along the arc of said curve and said Westerly line, an arc distance of 230.74 feet to the point of curvature of a non-tangent circular curve, concave to the East, having a radius of 3,175.00 feet and a central angle of 05°37'31"; thence from a tangent bearing of South 09°31'48" East, run Southerly along the arc of said curve and said Westerly line, an arc distance of 311.72 feet to a point lying South 74°50'41" West a distance of 125.00 from a 4"x4" concrete monument "P.R.M." and the point of compound curvature with a circular curve concave to the Northeast, having a radius of 1,175.00 feet and a central angle of 23°27'34"; thence Southeasterly along the arc of said curve and said Westerly line of Port Malabar Country Club Unit Two, an arc distance of 481.10 feet; thence South 43°04'32" East, along said Westerly line, a distance of 19.71 feet to the North line of Raysteff Country Club Subdivision, according to the plat thereof, as recorded in Plat Book 32, Page 61 of the said public records and the point of curvature of a non-tangent circular curve, concave to the Northwest, having a radius of 100.00 feet and a central angle of 55°23'27"; thence from a tangent bearing of South 35°12'35" West, run Southwesterly along the arc of said curve and said North line, an arc distance of 96.68 feet; thence North 89°23'58" West, along said North line, a distance of 351.00 feet; thence North 00°36'02" East, along the East line of said Raysteff Country Club Subdivision, a distance of 35.00 feet to the point of curvature of a circular curve concave to the South, having a radius of 175.00 feet and a central angle of 180°00'00"; thence Westerly along the arc of said curve, and said North line, an arc distance of 549.78 feet; thence South 00°36'02" West, along the West line of said Raysteff Country Club Subdivision, a distance of 54.75 feet to the North line of Country Club Lakes Estates Phase One, according to the plat thereof, as recorded in Plat Book 66, Page's 77 through 80 of the said public records; thence North 89°23'58" West, along said North line, a distance of 284.20 feet; thence South 00°36'02" West, along the West line of said Country Club Lakes Estates Phase One, a distance of 97.24 feet to the point of curvature of a non-tangent circular curve, concave to the South, having a radius of 75.00 feet and a central angle of 14°11'47"; thence from a tangent bearing of North 89°23'58" West, run Westerly along the arc of said curve and said North line, an arc distance of 18.58 feet; thence North 32°58'00" West, along said North Line, a distance of 20.24 feet to the point of curvature of a circular curve concave to the Southwest, having a radius of 125.00 feet and a central angle of 05°57'32"; thence Northwesterly along the arc of said curve, and said North line, an arc distance of 13.00 feet; thence South 51°04'29" West, along said North line, a distance of 50.00 feet to the point of curvature of a non-tangent circular curve, concave to the Southwest, having a radius of 75.00 feet and a central angle of 26°53'09"; thence from a tangent bearing of North 38°55'31" West, run Northwesterly along the arc of said curve and said North line, an arc distance of 35.19 feet; thence North 65°48'40" West, along said North line, a distance of 52.57 feet to the point of curvature of a circular curve concave to the South, having a radius of 125.00 feet and a central angle of 20°31'31"; thence Westerly along the arc of said curve and said North line, an arc distance of 44.78 feet; thence North 86°20'11" West, along said North line, a distance of 45.46 feet to the point of curvature of a circular curve concave to the South, having a radius of 150.00 feet and a central angle of 08°35'34"; thence Westerly along the arc of said curve and said North line, an arc distance of 22.50 feet; thence South 85°04'15" West, along said North line, a distance of 171.00 feet to the point of curvature of a circular curve concave to the South, having a radius of 75.00 feet and a central angle of 13°15'31"; thence Westerly along the arc of said curve and said North line, an arc distance of 17.36 feet; thence South 71°48'44" West, along said North line, a distance of 7.32 feet to the East line of O.R.B. 7457, Page 2053 of the said public records; thence North 18°11'16" West, along said East line, a distance of 266.77 feet to the South line of said Bimini Bay; thence South 88°47'13" East, along said South line, a distance of 75.32 feet and the point of curvature of a circular curve concave to the Northwest, having a radius of 260.00 feet and a central angle of 90°00'00"; thence Northeasterly along the arc of said curve and said South line, an arc distance of 408.41 feet; thence North 01°12'47" East, along the East line of said Bimini Bay, a distance of 422.65 feet to the point of curvature of a non-tangent circular curve, concave to the Northeast, having a radius of 300.00 feet and a central angle of 86°56'52"; thence from a tangent bearing of North 85°44'05" West, run Northwesterly along the arc of said curve and the said East line, an arc distance of 455.26 feet; thence North 01°12'47" East, along said East line, a distance of 317.10 feet to the POINT OF BEGINNING.

Less and except Island Green Villas, as recorded in O.R.B. 2746, Page 0093 and O.R.B 2750, Page 2105 of the Public Records of Brevard County, Florida


Notes:

Containing 74.240 acres of land, more or less.

- The bearings shown hereon are based on the East line of Bimini Bay, as recorded in Plat Book 50, Page 46 of the Public Records of Brevard County, Florida, being N 01°12'47" E; Said bearing is identical with the plat and is rotated 00°05'55" clockwise from grid bearing.
- The following easements are hereby dedicated:
 - A public utility easement 10 feet in width along the front of all lots and tracts contiguous with and adjacent to the private roadways as shown hereon for the installation of Florida Power and Light (F.P.& L.), other public utilities, private roads, and private sidewalks.
 - A 7.5-foot-wide private drainage easement along certain lot lines as shown hereon.
- All lot drainage is private and is the responsibility of the individual lot owner and/or the homeowners' association to maintain.
- All platted utility easements shall provide that such easements shall also be easements for the construction, installation, maintenance, and operation of cable television services; provided, however, no such construction, installation, maintenance, and operation of cable television services shall interfere with the facilities and services of an electric, telephone, gas, or other public utility. In the event a cable television company damages the facilities of a public utility, it shall be solely responsible for the damages. This shall not apply to those private easements granted to or obtained by a particular electric, telephone, gas, or other public utility. Such construction, installation, maintenance, and operation shall comply with the national electrical safety code as adopted by the Florida Public Service Commission.
- For Covenants, Conditions Restrictions and Easements see O.R.B. 8376, Pg. 1840 and subsequent amendments recorded in O.R.B. 8444, Pg. 1274, O.R.B. 8551, Pg. 1260, O.R.B 9059, Pg. 2796, O.R.B. 9628, Pg. 1190 and O.R.B _____, Pg. _____
- Tract R-1 and R-2 are hereby conveyed to, controlled by, and maintained by the Country Club Lakes Estates Property Owner's Association, Inc. for private road right-of-way. Tract R-2 is subject to an ingress / egress easement hereby dedicated to the Island Green Villas Association, Inc.
- Tracts A, B, C, D, E, F and G, are hereby conveyed to, controlled by, and maintained by the Country Club Lakes Estates Property Owner's Association, Inc. for stormwater retention, recreation, landscaping and common open space.

Notes Continued:

- Tract QC-1 and QC-2 are to be quit claimed to the Island Green Villas Association, Inc. for a private driveway. Said association is responsible for maintenance of Tract QC-1 and QC-2.
- The Country Club Lakes Estates Property Owner's Association, Inc shall have the primary maintenance responsibility for the drainage facilities constructed within the easements and stormwater tracts herein granted. However, the City of Palm Bay shall have the right, but not the obligation, to perform maintenance or to make emergency repairs as it deems necessary or desirable, at the expense of the homeowner's association, their successors or assigns.
- The County Club Lakes Estates Property Owner's Association, Inc. shall have the maintenance responsibility for the drainage facilities constructed within the easements and stormwater tracts herein defined. The City of Palm Bay and the public has the right for drainage from Riviera Drive to pass through the stormwater management system, including Tracts D and G. The city of Pam Bay shall also have the right, but not the obligation, to perform maintenance and / or make emergency repairs at it deems necessary or desirable to maintain said drainage. Any expenses associated with said maintenance and / or repairs may be the responsibility of said homeowners' association, their successors, and / or assigns.
- Tract LS-1 shall be conveyed to the City of Palm Bay by Quit Claim Deed for a sanitary sewer lift station. The maintenance and operation of the lift station shall be the responsibility of the City of Palm Bay. The maintenance of the landscaping shall be the responsibility of the Country Club Lakes Estates Property Owners Association, Inc.
- This is a residential subdivision per the City of Palm Bay Development Plan FD-40-2021 and Ordinance No. 2021-69 with minor amendments approved in FD23-00011.
- Survey monumentation within the subdivision shall be set in accordance with Florida Statutes Chapters 177.091(8) & 177.091(9).
- Unless otherwise noted, all lot lines are radial to curves.



VICINITY MAP
(NOT TO SCALE)

PLAT BOOK _____ PAGE _____

SHEET 1 OF 9

SECTION 28, TOWNSHIP 28 SOUTH, RANGE 37 EAST

DEDICATION

KNOW ALL MEN BY THESE PRESENTS, That the Company named below, being the owners in fee simple of the lands described in

Reserve at Country Club Lakes Estates

The developer hereby dedicates to the public and the City of Palm Bay all Public Utility Easements and an easement over Tract R-1 (private road) for ingress/egress for law enforcement and emergency vehicles, and for the installation and maintenance of public utilities. The roadway, drainage facilities, drainage easements and tracts as further described in the notes within the subdivision are dedicated to the Country Club Lakes Estates Property Owner's Association, Inc. The City of Palm Bay is not responsible for any maintenance of said tracts or easements.

IN WITNESS WHEREOF, has caused these presents to be signed and attested to by the officer named below on _____

Country Club Lakes Developers, LLC
2420 S Lakemont Avenue, Suite 450
Orlando, Florida 32814

By: _____
Daniel Kaiser Vice President of Land

Signed in the presence of: _____

STATE OF FLORIDA

COUNTY OF BREVARD

The foregoing instrument was acknowledged before me by means of _____ physical presence or _____ online notarization, this _____ by Daniel Kaiser as Vice President of Land of the above named company created under the laws of the State of Florida, on behalf of the company who is/are personally know to me _____ or has/have produced _____ as identification.

IN WITNESS WHEREOF, I have hereto set my hand and seal on the above date.

NOTARY PUBLIC

CERTIFICATE OF SURVEYOR

KNOW ALL MEN BY THESE PRESENTS, That the undersigned, being a licensed Professional Surveyor and Mapper, does hereby certify that on November 16, 2020, he completed the survey of the lands as shown in the foregoing plat; and that said plat was prepared under his direction and supervision and that said plat complies with all the survey requirements of Chapters 177 Part 1, Florida Statutes and is located in Brevard County, Florida.

Registration Number 5060

Jonathan M. Mott, P.L.S.
William Mott Land Surveying, Inc.
3189 Alzante Circle, Suite 3
Melbourne, FL 32940
Certificate of Authorization Number LB-0003608

CERTIFICATE OF REVIEWING SURVEYOR

I HEREBY CERTIFY, That I have reviewed the foregoing plat and find that it is in conformity with Chapter 177, part 1, Florida Statutes

Joseph N. Hale, P.L.S. No. 6366
City of Palm Bay, City Surveyor

CERTIFICATE OF APPROVAL BY MUNICIPALITY

THIS IS TO CERTIFY, that on _____, the City of Palm Bay City Council approved the foregoing plat

J. Robert Medina, Mayor

ATTEST: _____
Terese M. Jones, City Clerk

CERTIFICATE OF CLERK

I HEREBY CERTIFY, That I have examined the foregoing plat and find that it complies in form with all the requirements of Chapter 177, Part 1, Florida Statutes, and was filed for record on _____ at _____ File No. _____

ATTEST:



Clerk of the Circuit Court in and for Brevard County, Florida

NOTICE: THIS PLAT, AS RECORDED IN ITS GRAPHIC FORM, IS THE OFFICIAL DEPICTION OF THE SUBDIVIDED LANDS DESCRIBED HEREIN AND WILL IN NO CIRCUMSTANCES BE SUPPLANTED IN AUTHORITY BY ANY OTHER GRAPHIC OR DIGITAL FORM OF THE PLAT. THERE MAY BE ADDITIONAL RESTRICTIONS THAT ARE NOT RECORDED ON THIS PLAT THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY.

PREPARED BY:
WM WILLIAM MOTT LAND SURVEYING INC.
4875 N WICKHAM ROAD, SUITE 105
MELBOURNE, FLORIDA 32940
PHONE (321) 751-4444 FAX (321) 751-4445
PROJECT NUMBER: 224-0480

PLAT BOOK _____ PAGE _____
SHEET 2 OF 9
SECTION 28, TOWNSHIP 28 SOUTH, RANGE 37 EAST

OVERALL PLAT BOUNDARY





PREPARED BY:
 WILLIAM MOTT LAND SURVEYING INC.

4875 N WICKHAM ROAD, SUITE 105
MELBOURNE, FLORIDA 32934-3285
PHONE (321) 751-4444 FAX (321) 751-4445
PROJECT NUMBER: 224-0480

Matters of record affecting the plat:

1. Matters contained on the plat of Florida Indian River Land Company, as recorded in Plat Book 1, Page 164, Public Records of Brevard County, Florida.
2. Covenants, conditions, restrictions, reservations, easements, and other matters contained in Warranty Deed recorded in O.R. Book 2285, Page 1067, and corrected in O.R. Book 2383, Page 159, Public Records of Brevard County, Florida.
3. Grant of Easement to Malabar Lakes, Ltd. recorded in O.R. Book 2579, Page 750, as affected by Consent to Easements recorded in O.R. Book 2604, Page 1701, Public Records of Brevard County, Florida.
4. Terms, covenants, conditions, easements, and other matters contained in Easement Agreement recorded in O.R. Book 2579, Page 755, as affected by Consent to Easements recorded in O.R. Book 2604, Page 1701, and Confirmation of Access Easement recorded in O.R. Book 2680, Page 1457, Public Records of Brevard County, Florida.
5. Grant of Easement to Island Green, Inc. recorded in O.R. Book 2679, Page 1449, Public Records of Brevard County, Florida.
6. Easement to Island Green, Inc. recorded in O.R. Book 2742, Page 2575, Public Records of Brevard County, Florida.
7. Easement to General Development Utilities, Inc. recorded in O.R. Book 2742, Page 2579, as assigned to the City of Palm Bay, Florida, by Assignment of Easements recorded in O.R. Book 3255, Page 908, as further assigned to Palm Bay Utility Corporation by Assignment of Easements recorded in O.R. Book 3255, Page 1048, and Assignment of Plat and Other Easements recorded in O.R. Book 3255, Page 1152, Public Records of Brevard County, Florida.
8. Grant of Easement to General Development Utilities, Inc. recorded in O.R. Book 2752, Page 1494, Public Records of Brevard County, Florida.
9. Easement to Vincent Larosa and Vincent Gangi recorded in O.R. Book 2872, Page 540, Public Records of Brevard County, Florida.
10. Covenants, conditions, easements, and other matters contained in Settlement Agreement by and Between Palm Bay Greens, L.L.C. and City of Palm Bay, Florida, recorded in O.R. Book 6888, Page 2463, Public Records of Brevard County, Florida.
11. Recorded Notice of Environmental Resource Permit recorded in O.R. Book 7590, Page 1928, Public Records of Brevard County, Florida.
12. Recorded Notice of Environmental Resource Permit recorded in O.R. Book 8205, Page 2375, Public Records of Brevard County, Florida.
13. Terms, covenants, conditions, easements, and other matters contained in City of Palm Bay Water and Wastewater System Agreement recorded in O.R. Book 8270, Page 1588, Public Records of Brevard County, Florida.
14. Terms, covenants, conditions, easements, and other matters contained in City of Palm Bay Water and Wastewater System Agreement recorded in O.R. Book 8307, Page 1781, Public Records of Brevard County, Florida.
15. Resolution 2021-10 recorded in O.R. Book 9060, Page 2317, Public Records of Brevard County, Florida.
16. City of Palm Bay Water and Wastewater System Agreement recorded in O.R. Book 9839, Page 2608, Public Records of Brevard County, Florida.
17. Notice of Commencement recorded January 26, 2024, in Official Records Book 9978, Page 1694, Public Records of Brevard County, Florida.
18. Zoning rules and regulations of City of Palm Bay, Florida.



State Plane Coordinate Notes:

The coordinates shown hereon are based on the State Plane Coordinate System for Florida's East Zone North American Datum of 1983 (NAD 83/2011). A G.P.S. Control Survey utilizing two (2) Spectra SP80 and two Spectra SP60 GNSS receivers was performed on June 1, 2022. The network vector data was processed and adjusted by Least Squares Method utilizing Spectra Survey Office Ver. 5.50. The network passed the Chi Square Test at 95% Precision Confidence Level and is within the network accuracy estimates per the FGDG Geospatial Positioning Accuracy Standards of the stations listed below. The stations listed below, adjusted June 27, 2012, were held fixed in the network adjustment.

| Station Name | PID | Northing | Easting | Latitude | Longitude | Scale Factor | Convergence |
|-------------------------|--------|-------------|------------|------------------|------------------|--------------|-------------|
| Brevard County GPS 1085 | DG8691 | 1329808.794 | 754716.825 | 27°59'30.11089"N | 80°41'40.63987"W | 0.99995231 | 00°08'36.0" |
| Brevard County GPS 5024 | DG9463 | 1335870.744 | 778164.761 | 28°00'29.48585"N | 80°37'18.86501"W | 0.99995824 | 00°10'39.2" |
| Brevard County GPS 5053 | DG8749 | 1340340.557 | 770783.627 | 28°01'13.96510"N | 80°38'41.06981"W | 0.99995623 | 00°10'00.8" |
| Brevard County GPS 5054 | DG8750 | 1343501.538 | 770862.401 | 28°01'45.26257"N | 80°38'40.08788"W | 0.99995626 | 00°10'01.5" |

The coordinate values shown on the plat boundary were computed utilizing AutoCAD Land Development Desktop. A project scale factor of 0.99995717 was used to convert ground distance to grid distance. The distances shown on the plat are ground distance. The project scale factor can be applied to convert the ground distance to grid distance. All the values shown are expressed in U.S. Survey Feet.


| TRACT TABLE | | | |
|-------------|--------------|--------------------------------------|-------------------------------------------------------------|
| PARCEL NAME | AREA (ACRES) | DESCRIPTION | OWNERSHIP |
| TRACT R-1 | 11.57 | PRIVATE ROAD RIGHT-OF-WAY | COUNTRY CLUB LAKES ESTATES PROPERTY OWNERS ASSOCIATION, INC |
| TRACT R-2 | 0.23 | PRIVATE ROAD RIGHT-OF-WAY | COUNTRY CLUB LAKES ESTATES PROPERTY OWNERS ASSOCIATION, INC |
| TRACT A | 0.07 | LANDSCAPE AND OPEN SPACE | COUNTRY CLUB LAKES ESTATES PROPERTY OWNERS ASSOCIATION, INC |
| TRACT B | 0.45 | OPEN SPACE AND RECREATION | COUNTRY CLUB LAKES ESTATES PROPERTY OWNERS ASSOCIATION, INC |
| TRACT C | 12.85 | RETENTION, OPEN SPACE AND RECREATION | COUNTRY CLUB LAKES ESTATES PROPERTY OWNERS ASSOCIATION, INC |
| TRACT D | 10.06 | RETENTION, OPEN SPACE AND RECREATION | COUNTRY CLUB LAKES ESTATES PROPERTY OWNERS ASSOCIATION, INC |
| TRACT E | 0.10 | OPEN SPACE | COUNTRY CLUB LAKES ESTATES PROPERTY OWNERS ASSOCIATION, INC |
| TRACT F | 0.72 | LANDSCAPE AND OPEN SPACE | COUNTRY CLUB LAKES ESTATES PROPERTY OWNERS ASSOCIATION, INC |
| TRACT G | 0.36 | LANDSCAPE AND OPEN SPACE | COUNTRY CLUB LAKES ESTATES PROPERTY OWNERS ASSOCIATION, INC |
| TRACT QC-1 | 0.06 | PRIVATE DRIVEWAY | ISLAND GREEN VILLAS ASSOCIATION, INC. |
| TRACT QC-2 | 63 SQ. FT. | PRIVATE DRIVEWAY | ISLAND GREEN VILLAS ASSOCIATION, INC. |
| TRACT LS-1 | 0.09 | SANITARY SEWER LIFT STATION SITE | CITY OF PALM BAY |

Reserve at Country Club Lakes Estates



LYING IN SECTION 28, TOWNSHIP 28 SOUTH, RANGE 37 EAST AND IN THE CITY OF PALM BAY, BREVARD COUNTY FLORIDA

PLAT BOOK _____ PAGE _____
SHEET 3 OF 9
SECTION 28, TOWNSHIP 28 SOUTH, RANGE 37 EAST

KEY MAP




PREPARED BY:
WILLIAM MOTT LAND SURVEYING INC.
4875 N WICKHAM ROAD, SUITE 105
MELBOURNE, FLORIDA 32934-3285
PHONE (321) 751-4444 FAX (321) 751-4445
PROJECT NUMBER: 224-0480



LEGEND:


| | | | |
|--------|-------------------------------------------------------------------------|-----------------|------------------------------------------|
| □ | = 4"x4" CONCRETE MONUMENT WITH NAIL AND DISK MARKED "PRM LB 3608" (SET) | X | = DENOTES LINE BREAK/CHANGE IN DIRECTION |
| ■ | = 4"x4" CONCRETE MONUMENT FOUND WITH IDENTIFICATION AS NOTED | (R) | = RADIAL |
| ● | = NAIL AND DISK MARKED "PRM LB 3608" (SET) | (NR) | = NON-RADIAL |
| ● | = 1/2" IRON ROD WITH CAP MARKED "SMITH PRM LB 7426" (FOUND) | ESMT | = EASEMENT |
| ● | = NAIL AND DISK MARKED "PCP LB 3608" (SET) | O.R.B./O.R.BOOK | = OFFICIAL RECORDS BOOK |
| PUBDE | = PUBLIC UTILITIES AND DRAINAGE EASEMENT | H.O.A. | = HOME OWNERS ASSOCIATION |
| C# | = CURVE NUMBER FOR CURVE TABLE | LB | = LICENSED BUSINESS |
| L# | = LINE NUMBER FOR LINE TABLE | PLS | = PROFESSIONAL LAND SURVEYOR |
| R/W | = RIGHT-OF-WAY | PSM | = PROFESSIONAL SURVEYOR AND MAPPER |
| P.B. | = PLAT BOOK | R | = RADIUS |
| PG | = PAGE | DI | = DELTA |
| PG(S) | = PAGES | L | = LENGTH |
| RP | = RADIUS POINT | CDCH | = CHORD DISTANCE |
| POL | = POINT-ON-LINE | CB | = CHORD BEARING |
| POC | = POINT-ON-CURVE | BLK | = BLOCK |
| PI | = POINT-OF-INTERSECTION | | |
| PT | = POINT-OF-TANGENCY | | |
| PC | = POINT-OF-CURVATURE | | |
| PRC | = POINT-OF-REVERSE CURVATURE | | |
| PCC | = POINT-OF-COMPOUND CURVATURE | | |
| P.O.B. | = POINT-OF-BEGINNING | | |
| P.O.C. | = POINT-OF-COMMENCEMENT | | |
| PRM | = PERMANENT REFERENCE MONUMENT | | |
| PCP | = PERMANENT CONTROL POINT | | |



PLAT BOOK _____ PAGE _____

SHEET 4 OF 9

SECTION 28, TOWNSHIP 28 SOUTH, RANGE 37 EAST

[illegible]

GRAPHIC SCALE



(IN FEET)
1 inch = 50 ft.


PREPARED BY:

PREPARED BY:
M MOTT LAND SURVEYING INC.

4875 N WICKHAM ROAD, SUITE 105
MELBOURNE, FLORIDA 32934-3285
PHONE (321) 751-4444 FAX (321) 751-4445
PROJECT NUMBER: 224-0480

- ## LEGEND:
- | | |
|-----------------|-------------------------------------------------------------------------|
| ■ | = 4"x4" CONCRETE MONUMENT WITH NAIL AND DISK MARKED "PRM LB 3608" (SET) |
| □ | = 4"x4" CONCRETE MONUMENT FOUND WITH IDENTIFICATION AS NOTED |
| ● | = NAIL AND DISK MARKED "PRM LB 3608" (SET) |
| ● | = 1/2" IRON ROD WITH CAP MARKED "SMITH PRM LB 7426" (FOUND) |
| ● | = NAIL AND DISK MARKED "PCP LB 3608" (SET) |
| PUDB | = PUBLIC UTILITIES AND DRAINAGE EASEMENT |
| C# | = CURVE NUMBER FOR CURVE TABLE |
| L# | = LINE NUMBER FOR LINE TABLE |
| R/W | = RIGHT-OF-WAY |
| P/L | = PLAT BOOK |
| PG | = PAGE |
| PG(S) | = PAGES |
| R | = RADIUS POINT |
| POL | = POINT-ON-LINE |
| POC | = POINT-ON-CURVE |
| PI | = POINT-OF-INTERSECTION |
| PT | = POINT-OF-TANGENCY |
| PC | = POINT-OF-CURVATURE |
| PRC | = POINT-OF-REVERSE CURVATURE |
| PCO | = POINT-OF-COMPOUND CURVATURE |
| P.O.B. | = POINT-OF-BEGINNING |
| P.O.C. | = POINT-OF-COMMENCEMENT |
| PRM | = PERMANENT REFERENCE MONUMENT |
| PCP | = PERMANENT CONTROL POINT |
| X | = DENOTES LINE BREAK/CHANGE IN DIRECTION |
| R | = RADIAL |
| (NR) | = NON-RADIAL |
| ESMT. | = EASEMENT |
| O.R.B./O.R.B.O. | = OFFICIAL RECORDS BOOK |
| H.O.A. | = HOME OWNERS ASSOCIATION |
| LB | = LICENSED BUSINESS |
| PLS | = PROFESSIONAL LAND SURVEYOR |
| PSM | = PROFESSIONAL SURVEYOR AND MAPPER |
| R | = RADIUS |
| Δ | = DELTA |
| L | = LENGTH |
| CD/CH | = CHORD DISTANCE |
| C | = CHORD BEARING |
| BLK | = BLOCK |



KEY MAP



Reserve at Country Club Lakes Estates

LYING IN SECTION 28, TOWNSHIP 28 SOUTH, RANGE 37 EAST AND IN THE CITY OF PALM BAY, BREVARD COUNTY FLORIDA

PLAT BOOK _____ PAGE _____
SHEET 5 OF 9
SECTION 28, TOWNSHIP 28 SOUTH, RANGE 37 EAST





PREPARED BY:
WM WILLIAM MOTT LAND SURVEYING INC.
4875 N WICKHAM ROAD, SUITE 105
MELBOURNE, FLORIDA 32904-3285
PHONE (321) 751-4444 FAX (321) 751-4445
PROJECT NUMBER: 224-0480

LEGEND:

| | | | |
|----------|-------------------------------------------------------------------------|-----------------|------------------------------------------|
| ■ | = 4"x4" CONCRETE MONUMENT WITH NAIL AND DISK MARKED "PRM LB 3808" (SET) | X | = DENOTES LINE BREAK/CHANGE IN DIRECTION |
| □ | = 4"x4" CONCRETE MONUMENT FOUND WITH IDENTIFICATION AS NOTED | (R) | = RADIAL |
| ● | = NAIL AND DISK MARKED "PRM LB 3808" (SET) | (NR) | = NON-RADIAL |
| ■ | = 1/2" IRON ROD WITH CAP MARKED "SMITH PRM LB 7426" (FOUND) | ESMT | = EASEMENT |
| ○ | = NAIL AND DISK MARKED "PCP LB 3808" (SET) | O.R.B.O.R.B.OOK | = OFFICIAL RECORDS BOOK |
| P.U.D.E. | = PUBLIC UTILITIES AND DRAINAGE EASEMENT | H.O.A. | = HOME OWNERS ASSOCIATION |
| C# | = CURVE NUMBER FOR CURVE TABLE | LB | = LICENSED BUSINESS |
| L# | = LINE NUMBER FOR LINE TABLE | P.L.S. | = PROFESSIONAL LAND SURVEYOR |
| R# | = RIGHT-OF-WAY | PSM | = PROFESSIONAL SURVEYOR AND MAPPER |
| P.B. | = PLAT BOOK | R | = RADIUS |
| PG | = PAGE | Δ | = DELTA |
| PG(S) | = PAGES | L | = LENGTH |
| RP | = RADIUS POINT | CH | = CHORD DISTANCE |
| POL | = POINT-ON-LINE | CB | = CHORD BEARING |
| POC | = POINT-ON-CURVE | BLK | = BLOCK |
| PI | = POINT-OF-INTERSECTION | | |
| PT | = POINT-OF-TANGENCY | | |
| P.O.B. | = POINT-OF-BEGINNING | | |
| P.O.C. | = POINT-OF-COMMENCEMENT | | |
| PRM | = PERMANENT REFERENCE MONUMENT | | |
| PCP | = PERMANENT CONTROL POINT | | |



KEY MAP



Reserve at Country Club Lakes Estates

LYING IN SECTION 28, TOWNSHIP 28 SOUTH, RANGE 37 EAST AND IN THE CITY OF PALM BAY, BREVARD COUNTY FLORIDA

PLAT BOOK _____ PAGE _____
SHEET 6 OF 9
SECTION 28, TOWNSHIP 28 SOUTH, RANGE 37 EAST




PREPARED BY:
WM WILLIAM MOTT LAND SURVEYING INC.
4875 N WICKHAM ROAD, SUITE 105
MELBOURNE, FLORIDA 32904-3285
PHONE (321) 751-4444 FAX (321) 751-4445
PROJECT NUMBER: 224-0480

KEY MAP



LEGEND:

| | | | |
|--------|-------------------------------------------------------------------------|-----------------|------------------------------------------|
| ■ | = 4"x4" CONCRETE MONUMENT WITH NAIL AND DISK MARKED "PRM LB 3608" (SET) | X | = DENOTES LINE BREAK/CHANGE IN DIRECTION |
| ■ | = 4"x4" CONCRETE MONUMENT FOUND WITH IDENTIFICATION AS NOTED | (R) | = RADIAL |
| ■ | = NAIL AND DISK MARKED "PRM LB 3608" (SET) | (NR) | = NON-RADIAL |
| ■ | = 1/2" IRON ROD WITH CAP MARKED "SMITH PRM LB 7426" (FOUND) | ESMT. | = EASEMENT |
| ■ | = NAIL AND DISK MARKED "PCP LB 3608" (SET) | O.R.B./O.R.BOOK | = OFFICIAL RECORDS BOOK |
| ● | = PUBLIC UTILITIES AND DRAINAGE EASEMENT | H.O.A. | = HOME OWNERS ASSOCIATION |
| C# | = CURVE NUMBER FOR CURVE TABLE | LB | = LICENSED BUSINESS |
| L# | = LINE NUMBER FOR LINE TABLE | PLS | = PROFESSIONAL LAND SURVEYOR |
| R/W | = RIGHT-OF-WAY | PSM | = PROFESSIONAL SURVEYOR AND MAPPER |
| P.B. | = PLAT BOOK | R | = RADIUS |
| PG. | = PAGE | D/Δ | = DELTA |
| PG(S) | = PAGES | L | = LENGTH |
| RP | = RADIUS POINT | CD/CH | = CHORD DISTANCE |
| POL | = POINT-ON-LINE | CB | = BLOCK BEARING |
| POC | = POINT-ON-CURVE | BLK | = BLOCK |
| PI | = POINT-OF-INTERSECTION | | |
| PT | = POINT-OF-TANGENCY | | |
| PC | = POINT-OF-CURVATURE | | |
| PRC | = POINT-OF-REVERSE CURVATURE | | |
| POC | = POINT-OF-COMPOUND CURVATURE | | |
| P.O.B. | = POINT-OF-BEGINNING | | |
| P.O.C. | = POINT-OF-COMMENCEMENT | | |
| PRM | = PERMANENT REFERENCE MONUMENT | | |
| PCP | = PERMANENT CONTROL POINT | | |




Reserve at Country Club Lakes Estates

LYING IN SECTION 28, TOWNSHIP 28 SOUTH, RANGE 37 EAST AND IN THE CITY OF PALM BAY, BREVARD COUNTY FLORIDA



SEE SHEET 9 FOR CONTINUATION

SEE SHEET 3 FOR CONTINUATION




LEGEND:

| | | |
|-----------------------------------------------------------------------|-----------------|------------------------------------------|
| 4"x4" CONCRETE MONUMENT WITH NAIL AND DISK MARKED "PRM LB 3608" (SET) | X | = DENOTES LINE BREAK/CHANGE IN DIRECTION |
| 4"x4" CONCRETE MONUMENT FOUND WITH IDENTIFICATION AS NOTED | (R) | = RADIAL |
| NAIL AND DISK MARKED "PRM LB 3608" (SET) | (NR) | = NON-RADIAL |
| 1/2" IRON ROD WITH CAP MARKED "SMITH PRM LB 7426" (FOUND) | ESMT | = EASEMENT |
| NAIL AND DISK MARKED "PCP LB 3608" (SET) | O.R.B./O.R.BOOK | = OFFICIAL RECORDS BOOK |
| P.U.A.D.E. | H.O.A. | = HOME OWNERS ASSOCIATION |
| CH# | LB | = LICENSED BUSINESS |
| L# | PLS | = PROFESSIONAL LAND SURVEYOR |
| R/W | PSM | = PROFESSIONAL SURVEYOR AND MAPPER |
| P.B. | R | = RADIUS |
| PG(S) | D | = DELTA |
| RP | L | = LENGTH |
| POL | CH | = CHORD BEARING |
| POC | CB | = CHORD BEARING |
| PI | BLK | = BLOCK |
| PT | | |
| PRC | | |
| PCC | | |
| P.O.B. | | |
| P.O.C. | | |
| PRM | | |
| PCP | | |



PREPARED BY:
WM WILLIAM MOTT LAND SURVEYING INC.
4875 N WICKHAM ROAD, SUITE 105
MELBOURNE, FLORIDA 32934-3285
PHONE (321) 751-4444 FAX (321) 751-4445
PROJECT NUMBER: 224-0480



SEE SHEET 8 FOR CONTINUATION

SEE SHEET 6 FOR CONTINUATION

PLAT BOOK _____ PAGE _____

SHEET 8 OF 9

SECTION 28, TOWNSHIP 28 SOUTH, RANGE 37 EAST

SEE SHEET 9 FOR CONTINUATION

PRM SET ON 5.00' OFF-SET SOUTH ON LINE

24' WIDE UNDERGROUND UTILITY EASEMENT (PER O.R.B. 2742, PG. 2575)

NOT INCLUDED ISLAND GREEN VILLAS (O.R.B. 2746, PG. 93)

NOT INCLUDED ISLAND GREEN VILLAS (O.R.B. 2746, PG. 93)

Champions Drive
50' WIDE PUBLIC ROAD RIGHT-OF-WAY (PER P.B. 19, PG. 50)

TRACT D

County Club Drive

100' WIDE PUBLIC ROAD RIGHT-OF-WAY (PER P.B. 19, PG. 50)

RAYSTEFF COUNTRY CLUB SUBDIVISION (P.B. 32, PG. 61)

LOT 10

LOT 9

LOT 8

LOT 7

LOT 6

LOT 5

LOT 4

LOT 3

LOT 2

LOT 1

LOT 141

LOT 140

LOT 139

LOT 138

LOT 137

LOT 136

LOT 135

LOT 134

LOT 133

LOT 132

LOT 131

LOT 130

LOT 129

LOT 128

LOT 127

LOT 126

LOT 125

LOT 124

LOT 123

LOT 122

LOT 121

LOT 120

LOT 119

LOT 118

LOT 117

LOT 116

LOT 115

LOT 114

LOT 113

LOT 112

LOT 111

LOT 110

LOT 109

LOT 108

LOT 107

LOT 106

LOT 105

LOT 104

LOT 103

LOT 102

LOT 101

LOT 100

LOT 99

LOT 98

LOT 97

LOT 96

LOT 95

LOT 94

LOT 93

LOT 92

LOT 91

LOT 90

LOT 89

LOT 88

LOT 87

LOT 86

LOT 85

LOT 84

LOT 83

LOT 82

LOT 81

LOT 80

LOT 79

LOT 78

LOT 77

LOT 76

LOT 75

LOT 74

LOT 73

LOT 72

LOT 71

LOT 70

LOT 69

LOT 68

LOT 67

LOT 66

LOT 65

LOT 64

LOT 63

LOT 62

LOT 61

LOT 60

LOT 59

LOT 58

LOT 57

LOT 56

LOT 55

LOT 54

LOT 53

LOT 52

LOT 51

LOT 50

LOT 49

LOT 48

LOT 47

LOT 46

LOT 45

LOT 44

LOT 43

LOT 42

LOT 41

LOT 40

LOT 39

LOT 38

LOT 37

LOT 36

LOT 35

LOT 34

LOT 33

LOT 32

LOT 31

LOT 30

LOT 29

LOT 28

LOT 27

LOT 26

LOT 25

LOT 24

LOT 23

LOT 22

LOT 21

LOT 20

LOT 19

LOT 18

LOT 17

LOT 16

LOT 15

LOT 14

LOT 13

LOT 12

LOT 11

LOT 10

LOT 9

LOT 8

LOT 7

LOT 6

LOT 5

LOT 4

LOT 3

LOT 2

LOT 1

LOT 141

LOT 140

LOT 139

LOT 138

LOT 137

LOT 136

LOT 135

LOT 134

LOT 133

LOT 132

LOT 131

LOT 130

LOT 129

LOT 128

LOT 127

LOT 126

LOT 125

LOT 124

LOT 123

LOT 122

LOT 121

LOT 120

LOT 119

LOT 118

LOT 117

LOT 116

LOT 115

LOT 114

LOT 113

LOT 112

LOT 111

LOT 110

LOT 109

LOT 108

LOT 107

LOT 106

LOT 105

LOT 104

LOT 103

LOT 102

LOT 101

LOT 100

LOT 99

LOT 98

LOT 97

LOT 96

LOT 95

LOT 94

LOT 93

LOT 92

LOT 91

LOT 90

LOT 89

LOT 88

LOT 87

LOT 86

LOT 85

LOT 84

LOT 83

LOT 82

LOT 81

LOT 80

LOT 79

LOT 78

LOT 77

LOT 76

LOT 75

LOT 74

LOT 73

LOT 72

LOT 71

LOT 70

LOT 69

LOT 68

LOT 67

LOT 66

LOT 65

LOT 64

LOT 63

LOT 62

LOT 61

LOT 60

LOT 59

LOT 58

LOT 57

LOT 56

LOT 55

LOT 54

LOT 53

LOT 52

LOT 51

LOT 50

LOT 49

LOT 48

LOT 47

LOT 46

LOT 45

LOT 44

LOT 43

LOT 42

LOT 41

LOT 40

LOT 39

LOT 38

LOT 37

LOT 36

LOT 35

LOT 34

LOT 33

LOT 32

LOT 31

LOT 30

LOT 29

LOT 28

LOT 27

LOT 26

LOT 25

LOT 24

LOT 23

LOT 22

LOT 21

LOT 20

LOT 19

LOT 18

LOT 17

LOT 16

LOT 15

LOT 14

LOT 13

LOT 12

LOT 11

LOT 10

LOT 9

LOT 8

LOT 7

LOT 6

LOT 5

LOT 4

LOT 3

LOT 2

LOT 1

LOT 141

LOT 140

LOT 139

LOT 138

LOT 137

LOT 136

LOT 135

LOT 134

LOT 133

LOT 132

LOT 131

LOT 130

LOT 129

LOT 128

LOT 127

LOT 126

LOT 125

LOT 124

LOT 123

LOT 122

LOT 121

LOT 120

LOT 119

LOT 118

LOT 117

LOT 116

LOT 115

LOT 114

LOT 113

LOT 112

LOT 111

LOT 110

LOT 109

LOT 108

LOT 107

LOT 106

LOT 105

LOT 104

LOT 103

LOT 102

LOT 101

LOT 100

LOT 99

LOT 98

LOT 97

LOT 96

LOT 95

LOT 94

LOT 93

LOT 92

LOT 91

LOT 90

LOT 89

LOT 88

LOT 87

LOT 86

LOT 85

LOT 84

LOT 83

LOT 82

LOT 81

LOT 80

LOT 79

LOT 78

LOT 77

LOT 76

LOT 75

LOT 74


LOT 73

LOT 72

LOT 71

LOT 70

LOT 69



GRAPHIC SCALE



(IN FEET)
1 inch = 50 ft.

PREPARED BY:


 WILLIAM MOTT LAND SURVEYING INC.

4875 N WICKHAM ROAD, SUITE 105
MELBOURNE, FLORIDA 32934-3285
PHONE (321) 751-4444 FAX (321) 751-4445
PROJECT NUMBER: 224-0480

LEGEND:

- | | | |
|--------|-------------------------------------------------------------------------|--------------------------------------------|
| ■ | * 4"x4" CONCRETE MONUMENT WITH NAIL AND DISK MARKED "PRM LB 3608" (SET) | |
| ■ | * 4"x4" CONCRETE MONUMENT FOUND WITH IDENTIFICATION AS NOTED | |
| Δ | * NAIL AND DISK MARKED "PRM LB 3608" (SET) | |
| ■ | * 12" IRON ROD WITH CAP MARKED "SMITH PRM LB 7426" (FOUND) | |
| ■ | * NAIL AND DISK MARKED "PCP LB 3608" (SET) | |
| PUADE | * PUBLIC UTILITIES AND DRAINAGE EASEMENT | |
| C## | * CURVE NUMBER FOR CURVE TABLE | X = DENOTES LINE BREAK/CHANGE IN DIRECTION |
| L## | * LINE NUMBER FOR LINE TABLE | (R) = RADIAL |
| R/W | * RIGHT-OF-WAY | (NR) = NON-RADIAL |
| P.B. | * PLAT BOOK | ESMT. = EASEMENT |
| PG. | * PAGE | O.R.B./O.R BOOK = OFFICIAL RECORDS BOOK |
| PG(S) | * PAGES | H.O.A. = HOME OWNERS ASSOCIATION |
| P.R. | * RADIUS POINT | LS = LICENSED BUSINESS |
| POL | * POINT-ON-LINE | PLS = PROFESSIONAL LAND SURVEYOR |
| POC | * POINT-ON-CURVE | PSM = PROFESSIONAL SURVEYOR AND MAPPER |
| PI | * POINT-OF-INTERSECTION | RD = RADIUS |
| PT | * POINT-OF-TANGENCY | Δ = DELTA |
| PC | * POINT-OF-CURVATURE | L = LENGTH |
| PRC | * POINT-OF-REVERSE CURVATURE | D/C/DH = HORIZONTAL DISTANCE |
| PCG | * POINT-OF-COMPOUND CURVATURE | CB = CHORD BEARING |
| P.O.B. | * POINT-OF-BEGINNING | BLK = BLOCK |
| P.O.C. | * POINT-OF-COMMENCEMENT | |
| PRM | * PERMANENT REFERENCE MONUMENT | |
| PCP | * PERMANENT CONTROL POINT | |

KEY MAP




Reserve at Country Club Lakes Estates

LYING IN SECTION 28, TOWNSHIP 28 SOUTH, RANGE 37 EAST AND IN THE CITY OF PALM BAY, BREVARD COUNTY FLORIDA



PLAT BOOK _____ PAGE _____
SHEET 9 OF 9
SECTION 28, TOWNSHIP 28 SOUTH, RANGE 37 EAST

PREPARED BY:
WM WILLIAM MOTT LAND SURVEYING INC.
4875 N WICKHAM ROAD, SUITE 105
MELBOURNE, FLORIDA 32934-3285
PHONE (321) 751-4444 FAX (321) 751-4445
PROJECT NUMBER: 224-0480



LEGEND:

- 4"x4" CONCRETE MONUMENT WITH NAIL AND DISK MARKED "PRM LB 3608" (SET)
- 4"x4" CONCRETE MONUMENT FOUND WITH IDENTIFICATION AS NOTED
- NAIL AND DISK MARKED "PRM LB 3608" (SET)
- 1/2" IRON ROD WITH CAP MARKED "SMITH PRM LB 7426" (FOUND)
- NAIL AND DISK MARKED "PCP LB 3608" (SET)
- PURDE = PUBLIC UTILITIES AND DRAINAGE EASEMENT
- CHW = CURVE NUMBER FOR CURVE TABLE
- LF# = LINE NUMBER FOR LINE TABLE
- R/W = RIGHT-OF-WAY
- P.B. = PLAT BOOK
- PG. = PAGE
- PG(S) = PAGES
- RP = RADIUS POINT
- POL = POINT-ON-LINE
- POC = POINT-ON-CURVE
- PI = POINT-OF-INTERSECTION
- PT = POINT-OF-TANGENCY
- PC = POINT-OF-CURVATURE
- PRC = POINT-OF-REVERSE CURVATURE
- PCC = POINT-OF-COMPOUND CURVATURE
- P.O.B. = POINT-OF-BEGINNING
- P.O.C. = POINT-OF-CEASEMENT
- PRM = PERMANENT REFERENCE MONUMENT
- PCP = PERMANENT CONTROL POINT
- X = DENOTES LINE BREAK/CHANGE IN DIRECTION
- (R) = RADIAL
- (NR) = NON-RADIAL
- ESMT. = EASEMENT
- OFFICIAL RECORDS BOOK
- H.O.A. = HOME OWNERS ASSOCIATION
- LB = LICENSED BUSINESS
- PLS = PROFESSIONAL LAND SURVEYOR
- PSM = PROFESSIONAL SURVEYOR AND MAPPER
- R = RADIUS
- DELTA = DELTA
- L = LENGTH
- CDCH = CHORD DISTANCE
- CB = CHORD BEARING
- BLK = BLOCK



| CURVE | RADIUS | DELTA | LENGTH | CHORD | CHORD BEARING |
|-------|---------|-----------|--------|--------|---------------|
| C1 | 100.00' | 40°00'34" | 69.83' | 68.42' | S 14°19'49" W |
| C2 | 238.50' | 17°34'58" | 73.19' | 72.90' | S 43°07'35" W |
| C3 | 263.50' | 11°39'21" | 53.60' | 53.51' | S 46°05'23" W |
| C4 | 17.00' | 38°42'03" | 11.48' | 11.27' | S 25°01'28" E |
| C5 | 87.27' | 39°48'04" | 60.62' | 59.41' | S 64°16'32" E |
| C6 | 149.00' | 10°14'13" | 26.62' | 26.59' | N 10°29'38" E |
| C7 | 75.00' | 37°27'42" | 49.04' | 48.17' | S 24°06'23" W |
| C8 | 156.00' | 18°18'34" | 49.85' | 49.64' | S 51°59'30" W |
| C9 | 182.00' | 10°46'03" | 34.20' | 34.15' | N 55°45'45" E |
| C10 | 128.00' | 45°17'08" | 99.59' | 97.02' | N 61°34'05" W |
| C11 | 150.00' | 4°09'55" | 10.90' | 10.90' | N 88°25'08" W |
| C12 | 150.00' | 4°25'39" | 11.59' | 11.59' | S 87°17'05" W |
| C13 | 38.30' | 46°00'38" | 30.76' | 29.94' | N 88°48'59" W |
| C14 | 139.00' | 27°36'39" | 66.98' | 66.34' | N 81°59'01" E |
| C15 | 50.00' | 74°05'13" | 64.65' | 60.24' | S 47°10'02" E |

| LINE | LENGTH | BEARING |
|------|---------|---------------|
| L1 | 36.54' | N 05°47'21" E |
| L2 | 39.34' | N 04°57'24" E |
| L3 | 10.99' | N 20°24'39" E |
| L4 | 10.27' | N 33°29'10" E |
| L5 | 42.67' | N 44°27'32" E |
| L6 | 35.74' | N 52°35'49" E |
| L7 | 67.99' | N 55°16'33" E |
| L8 | 21.18' | N 52°49'42" E |
| L9 | 113.49' | N 51°04'38" E |
| L10 | 28.80' | S 59°58'06" W |
| L11 | 32.78' | N 59°58'06" W |
| L12 | 18.12' | S 38°55'22" E |
| L13 | 116.12' | S 51°04'38" W |
| L14 | 22.08' | S 52°49'42" W |
| L15 | 67.39' | S 55°16'33" W |
| L16 | 33.48' | S 52°35'49" W |
| L17 | 38.65' | S 44°27'32" W |
| L18 | 5.21' | S 33°29'10" W |
| L19 | 4.99' | S 20°24'39" W |
| L20 | 36.28' | S 04°57'24" W |
| L21 | 36.72' | S 05°47'21" W |

| LINE | LENGTH | BEARING |
|------|---------|---------------|
| L22 | 24.00' | N 84°12'39" W |
| L28 | 20.42' | S 59°58'06" E |
| L29 | 8.48' | S 59°58'06" E |
| L30 | 6.31' | S 59°58'06" E |
| L31 | 6.97' | N 51°04'38" E |
| L32 | 19.41' | S 59°58'06" E |
| L41 | 16.21' | S 88°44'04" E |
| L42 | 6.63' | S 88°44'04" E |
| L43 | 9.06' | S 88°44'04" E |
| L44 | 9.04' | S 84°12'39" E |
| L45 | 28.03' | S 84°12'39" E |
| L46 | 11.00' | S 05°47'21" W |
| L47 | 11.00' | N 05°47'21" E |
| L48 | 6.38' | N 84°12'39" W |
| L49 | 61.06' | S 84°12'39" E |
| L50 | 17.48' | S 38°55'22" E |
| L51 | 46.14' | N 06°24'22" E |
| L52 | 31.82' | N 05°22'32" E |
| L53 | 26.53' | S 42°50'14" W |
| L54 | 37.77' | S 61°08'47" W |
| L55 | 114.05' | S 50°22'44" W |
| L56 | 23.69' | N 68°10'42" E |
| L57 | 59.79' | N 84°12'39" W |
| L58 | 4.59' | N 85°04'15" E |

SEE SHEET 8 FOR CONTINUATION

SEE SHEET 8 FOR CONTINUATION

SEE SHEET 3 FOR CONTINUATION

SEE SHEET 6 FOR CONTINUATION